

Crude Oil Specifications

Anaco Wax	Characteristics	Units	Typical Value
	API Gravity	°API	43.3
	Sulphur	WT %	0.15
	Kinematic Viscosity at 100 °F	CST	1.98
	Vanadium	ppm	1.04
	Neutralization Number	Mg KOH/gr	0.11
	Pour Point	°C	70

Mesa	Characteristics	Units	Typical Value
	Gravity	°API	30.5
	Sulphur	WT %	0.85
	Kinematic Viscosity at 100 °F	CST	7.29
	Vanadium	ppm	38
	Neutralization Number	Mg KOH/gr	0.03
	Pour Point	°C	-46

Mesa 28	Characteristics	Units	Typical Value
	Gravity	°API	28
	Sulphur	WT %	1.18
	Kinematic Viscosity at 100 °F	CST	13.3
	Vanadium	ppm	69
	Neutralization Number	Mg KOH/gr	0.014
	Pour Point	°C	-29

Leona	Characteristics	Units	Typical Value
	Gravity	°API	25.3
	Sulphur	WT %	1.52
	Kinematic Viscosity at 100 °F	CST	22.24
	Vanadium	ppm	132
	Neutralization Number	Mg KOH/gr	0.1
	Pour Point	°C	-35

Merey	Characteristics	Units	Typical Value
	Gravity	°API	16
	Sulphur	WT %	2.45
	Kinematic Viscosity at 100 °F	CST	513
	Vanadium	ppm	262
	Neutralization Number	Mg KOH/gr	0.69
	Pour Point	°C	-20

Tia Juana Light	Characteristics	Units	Typical Value
	Gravity	°API	31.9
	Sulphur	WT %	1.18
	Kinematic Viscosity at 100 °F	CST	8.8
	Vanadium	ppm	96
	Neutralization Number	Mg KOH/gr	0.22
	Pour Point	°C	-29

Furrial	Characteristics	Units	Typical Value
	Gravity	°API	28.5
	Sulphur	WT %	1.1
	Kinematic Viscosity at 100 °F	CST	11.9
	Vanadium	ppm	68
	Neutralization Number	Mg KOH/gr	0.1
	Pour Point	°C	-32

BCF-24	Characteristics	Units	Typical Value
	Gravity	°API	23.7
	Sulphur	WT %	1.88
	Kinematic Viscosity at 100 °F	CST	47.5
	Vanadium	ppm	225
	Neutralization Number	Mg KOH/gr	0.77
	Pour Point	°C	-32

BCF-17	Characteristics	Units	Typical Value
	Gravity	°API	13.5
	Sulphur	WT %	2.3
	Kinematic Viscosity at 100 °F	CST	1709
	Vanadium	ppm	352
	Neutralization Number	Mg KOH/gr	2.63
	Pour Point	°C	-18

Pilon	Characteristics	Units	Typical Value
	Gravity	°API	16.2
	Sulphur	WT %	2.47
	Kinematic Viscosity at 100 °F	CST	509
	Vanadium	ppm	184
	Neutralization Number	Mg KOH/gr	1.6
	Pour Point	°C	0

Morichal	Characteristics	Units	Typical Value
	Gravity	°API	12.2
	Sulphur	WT %	2.78
	Kinematic Viscosity at 100 °F	CST	145
	Vanadium	ppm	274
	Neutralization Number	Mg KOH/gr	2.83
	Pour Point	°C	45

Lagomedio	Characteristics	Units	Typical Value
	Gravity	°API	31.6
	Sulphur	WT %	1.26
	Kinematic Viscosity at 100 °F	CST	13.4
	Vanadium	ppm	119
	Neutralization Number	Mg KOH/gr	0.07
	Pour Point	°C	-24

Lagotreco	Characteristics	Units	Typical Value
	Gravity	°API	30.4
	Sulphur	WT %	1.28
	Kinematic Viscosity at 100 °F	CST	10.69
	Vanadium	ppm	129
	Neutralization Number	Mg KOH/gr	0.33
	Pour Point	°C	-26

Menemota	Characteristics	Units	Typical Value
	Gravity	°API	20.7
	Sulphur	WT %	2.07
	Kinematic Viscosity at 100 °F	CST	69.1
	Vanadium	ppm	381
	Neutralization Number	Mg KOH/gr	0.69
	Pour Point	°C	<-30

Bachaquero-13	Characteristics	Units	Typical Value
	Gravity	°API	12.2
	Sulphur	WT %	2.8
	Kinematic Viscosity at 100 °F	CST	48.6
	Vanadium	ppm	442
	Neutralization Number	Mg KOH/gr	3.13
	Pour Point	°C	-18

Tia Juana Heavy	Characteristics	Units	Typical Value
	Gravity	°API	12.3
	Sulphur	WT %	2.82
	Kinematic Viscosity at 100 °F	CST	88.6
	Vanadium	ppm	386
	Neutralization Number	Mg KOH/gr	3.9
	Pour Point	°C	-16

Laguna	Characteristics	Units	Typical Value
	Gravity	°API	10.9
	Sulphur	WT %	2.66
	Kinematic Viscosity at 100 °F	CST	6908
	Vanadium	ppm	395
	Neutralization Number	Mg KOH/gr	2.82
	Pour Point	°C	6

Boscan	Characteristics	Units	Typical Value
	Gravity	°API	10.1
	Sulphur	WT %	5.4
	Kinematic Viscosity at 100 °F	CST	11233
	Vanadium	ppm	11222
	Neutralization Number	Mg KOH/gr	0.91
	Pour Point	°C	7